

CATALOGUE
OF
BRITISH HEMIPTERA

HETEROPTERA

BY
EDWARD SAUNDERS, F.R.S., &c.

HOMOPTERA

BY
JAMES EDWARDS, F.E.S.



Perth:

PRINTED AND PUBLISHED BY MILNE, TANNAHILL & METHVEN,
THE MILLS, HORSE CROSS.

AUGUST, 1908.

JANSON & SONS,
NATURAL HISTORY AGENTS & BOOKSELLERS,
44, Great Russell St., London, W.C.1.



Digitized by the Internet Archive
in 2019 with funding from
University of Toronto

<https://archive.org/details/catalogueofbriti00saun>

PB64175

BRITISH HEMIPTERA.

HETEROPTERA.

GYMNOCERATA.

PENTATOMIDÆ.

SCUTELLERINA.

THYREOCORIS, Schr.

CORIMELÆNA, White.

1. scarabæoides, L.

ODONTOSCELIS, Lap.

2. fuliginosa, L.

EURYGASTER, Lap.

3. maura, L.

4. nigrocucullata, Goeze.
nigra, F.

PODOPS, Lap.

5. inuncta, F.

CYDNINA.

CYDNUS F.

6. flavicornis, F.

GEOTOMUS, M. & R.

7. punctulatus, Cost.

laevis, D. & S. (Æthus).

SEHIRUS, Am. S.

✓ 8. bicolor, L.

9. dubius, Scop.

10. biguttatus, L.

11. luctuosus, M. & R.

morio, Brit. Authors,

nec Linn.

GNATHOCONUS, Fieb.

12. albomarginatus, Goeze.

13. picipes, Fall.

PENTATOMINA.

SCIOCORIS, Fall.

14. cursitans, F.

terreus, Schr.

ÆLIA, F.

15. acuminata, L.

NEOTTIGLOSSA, Curt.

ÆLIOIDES, Dohrn.

16. pusilla Gmel.

inflexa, Wolff.

EUSARCORIS, Hahn.

17. melanocephalus, F.

18. æneus, Scop.

PERIBALUS, M. & R.

19. vernalis, Wolff.

CARPOCORIS, Kol.

20. fuscispina, Boh.

purpureipennis, Deg.

DOLYCORIS, M. & R.

21. baccarum, L.

PALOMENA, M. & R.

22. prasina, L.

dissimilis, F.

CHLOROCHROA, Stål.

23. juniperina, L.

PIEZODORUS, Fieb.

✓ 24. lituratus, F.

purpureipennis, D. & S.

PENTATOMA, Oliv.

TROPICORIS, Hahn.

✓ 25. rufipes, L.

EURYDEMA, Lap.

STRACHIA, Hahn.

26. dominulus, Scop.

festivum, Fieb., *nec* L.

ornatum, D. & S.

27. oleraceum, L.

ASOPIDINA.

PICROMERUS, Am. S.

✓ 28. bidens, L.

RHACOGNATHUS, Fieb.

Asopus, Burm.

29. punctatus, L.

TROILUS, Stål.

Podisus, H. S.

30. luridus, F.

JALLA, Hahn.

31. dumosa, L.

ZICRONA, Am. S.

32. cœrulea, L.

ACANTHOSOMINA.**ACANTHOSOMA.**

33. hæmorrhoidale, L.

34. interstinctum, L.
dentatum, De G.**ELASMOSTETHUS**, Fieb.

35. griseus, L.

interstinctum, Reut., Saund.

36. ferrugatus, F.

CYPHOSTETHUS, Fieb.

37. tristriatus, F.

COREIDÆ.**COREINA.****SPATHOCERA**, Stein.

38. dalmanni, Schill.

ENOPLOPS, Am. S.

39. scapha, F.

SYROMASTES, Latr.

40. marginatus, L.

VERLUSIA, Spin.

41. quadrata, F.

✓ 42. rhombea, L.

GONOCERUS, Ltr.42. acuteangulatus, Goeze.
venator, F.**PSEUDOPHLŒUS**, Burm.

43. fallenii, Schill

44. waltlii, H. S.

BATHYSOLEN, Fieb.

45. nubilus, Fall.

CERALEPTUS, Cost.

46. lividus, Stein.

squalidus, D. & S.

COREUS, F.47. denticulatus, Scop.
hirticornis, D. & S.**ALYDUS**, F.

48. calcaratus, L.

STENOCEPHALINA.**STENOCEPHALUS**, Ltr.

49. agilis, Scop.

50. albipes, F.
neglectus, H. S.**CORIZINA.****THERAPHA**, Am. S.

51. hyoscyami, L.

CORIZUS.*S.g.* **STICTOPLEURUS**, Stål.

52. crassicornis, L.

var. abutilon, Rossi.*S.g.* **CORIZUS**, Fieb.

53. maculatus, Fieb.

54. subrufus, Gmel.

capitatus, F.

55. parumpunctatus, Schill.

S.g. **LIORHYSSUS**, Stål.

56. hyalinus, F.

MYRMUS, Hahn.

57. miriformis, Fall.

CHOROSOMA, Curt.

58. schillingi, Schml.

BERYTIDÆ.**BERYTINA.****NEIDES**, Ltr.

59. tipularius, L.

depressus, D. & S. (brach).**BERYTUS**, F.

60. clavipes, F.

61. minor, H. S.

cognatus, D. & S. (macr.).*commutatus*, D. & S. (brach.).

62. signoreti, Fieb.

pygmæus, Reut. (brach.).

63. montivagus, Fieb.

64. crassipes, H. S.

METACANTHINA.**METATROPIS**, Fieb.

65. rufescens, H. S.

METACANTHUS, Cost.

66. elegans, Curt.

punctipes, Germ.

LYGÆIDÆ.**LYGÆINA.****LYGEUS, F.**67. *equestris*, L.**NYSIUS, Dall.**68. *lineatus*, Cost. *ericæ*, Boh, nec Schill. *brunneus*, Fieb. *scotti*, Saund.69. *thymi*, Wolff, var. *maculatus*, D. & S.**CYMINA.****CYMUS, Hahn.**70. *glandicolor*, Hahn.71. *melanocephalus*, F.72. *clavicularis*, Fall.**ISCHNORHYNCHUS, Fieb.**73. *resedæ*, Pz. *didymus*, Zett.74. *geminatus*, Fieb. *resedæ*, D. & S.**BLISSINA.****ISCHNODEMUS, Fieb.**75. *sabuleti*, Fall.**HENESTARINA.****HENESTARIS, Spin.**76. *laticeps*, Curt.77. *halophilus*, Burm.**ARTHENEINA.****CHILACIS, Fieb.**78. *typhae*, Perr.**- HETEROGASTRINA.****HETEROGASTER, Schill.**79. *artemisiæ*, Schill.80. *urticæ*, Fab.**APHANINA.****PAMERA, Say.**

PLOCIOMERUS, Fieb.

81. *fracticollis*, Schill.82. *lurida*, Hahn.**RHYPAROCHROMUS, Curt.**83. *antennatus*, Schill.84. *prætextatus*, H. S.85. *dilatatus*, H. S.86. *chiragra*, F. var. *sabulicola*, Thoms.**TROPISTETHUS, Fieb.**87. *holosericeus*, Schltz.**ISCHNOCORIS, Fieb.**88. *angustulus*, Boh. *hemipterus*, D. & S., Saund.**MACRODEMA, Fieb.**89. *micropterum*, Curt.**PIONOSOMUS, Fieb.**90. *varius*, Wolff.**PLINTHISUS, Fieb.**91. *brevipennis*, Ltr. *bidentatus*, H. S. (macr.).**LASIOSOMUS, Fieb.**92. *enervis*, H. S.**ACOMPUS, Fieb.**93. *rufipes*, Wolff.**STYGNOCORIS, D. & S.**

STYGNUS, Fieb.

94. *rusticus*, Fall. *incanus*, Fieb. (macr.).95. *pedestris*, Fall. *sabulosus*, Schill.96. *fuligineus*, Geoffr. *arenarius*, Hahn.**PERITRECHUS, Fieb.**97. *geniculatus*, Hahn. *puncticeps*, Thoms.98. *gracilicornis*, Put.99. *nubilus*, Fall.100. *sylvestris*, F. *luniger*, Schill.**TRAPEZONOTUS, Fieb.**101. *distinguendus*, Flor. *distinctus*, D. & S.102. *arenarius*, L. *agrestis*, Fall. *dispar*, Stål.103. *ullrichii*, Fieb.**CALYPTONOTUS, D. & S.**104. *rolandri*, L.**APHANUS, Lap.**

S.g. GRAPTOPELTUS, Stål.

105. *lynceus*, F.

S.g. XANTHOCHILUS, Stål.

106. quadratus, F.
S.g. APHANUS, Lap.
107. albo-acuminatus, Goeze.
pedestris, Pz.
108. pini, L.

BEOSUS, Am. S.

- DIEUCHES, D. & S.
109. maritimus, Scop.
luscus, F.

EMBLETHIS, Fieb.

110. verbasci, F.

EREMOCORIS, Fieb.

111. plebeius, Fall.
112. podagricus, F.
113. fenestratus, H. S.
erraticus, D. & S.

DRYMUS, Fieb.

114. pilipes, Fieb.
115. latus, D. & S.
pilicornis, Saund., nec M. & R.
confusus, Horv.
116. pilicornis, M. & R.
117. sylvaticus, F.
var. Ryei, D. & S.
118. brunneus, Sahlb.
119. piceus, Flor.
sharpi, D. & S. (Lamproplax).

NOTOCHILUS, Fieb.

120. limbatus, Fieb.
crassicornis, D. & S.
121. contractus, H.S.

SCOLOPOSTETHUS, Fieb.

122. pictus, Schill.
123. grandis, Horv.
punetatus, Edw.
✓ 124. affinis, Schill.
adjunctus, D. & S.
125. thomsoni, Reut.
neglectus, Edw.
126. decoratus, Hahn.
ericetorum, Leth.
127. puberulus, Horv.

GASTRODES, Westw.

- ✓ 128. abietis, L.
✓ 129. ferrugineus, L.

PYRRHOCORINA.

- PYRRHOCORIS, Fall.
130. apterus, L.

TINGIDIDÆ.

PIESMINA.

PIESMA, Lap.

ZOSMENUS, D. & S.

131. quadrata, Fieb.
132. capitata, Wolff.
laportei, Fieb.

TINGIDINA.

SERENTHIA, Spin.

AGRAMMA, D. & S.

133. laeta, Fall.

CAMPYLOSTIRA, Fieb.

134. verna, Fall.
brachycera, Fieb.

ACALYPTA, Westw.

ORTHOSTIRA, Fieb.

135. brunnea, Germ.
concinna, D. & S.
136. cervina, Germ.
137. nigrina, Fall.
138. macrophtalma, Fieb.
139. parvula, Fall.
obscura, D. & S.

DICTYONOTA, Curt.

140. tricornis, Schr.
crassicornis, Fall.
141. strichnocera, Fieb.
142. fuliginosa, Costa.
fieberi, D. & S.

DEREPHYSIA, Spin.

143. foliacea, Fall.

MONANTHIA, Lep.

- S.g. PLATYCHILA*, Fieb.
144. ampliata, Fieb.
145. cardui, L.
146. angustata, H. S.
S.g. LASIOTROPIS, Stål.
147. ciliata, Fieb.
reticulata, H. S.

S.g. CATOPLATUS, Spin.

148. fabricii, Stål.
costata, F.
S.g. PHYSATOCHILA, Fieb.
149. quadrimaculata, Wolff.
150. dumetorum, H. S.
151. simplex, H. S.
S.g. MONANTHIA, Stål.
152. humuli, F.

with punctures

ARADIDÆ.**ARADUS, F.**

153. *corticalis*, L.
 154. *depressus*, F.
 155. *lawsoni*, Saund.
 156. *aterrimus*, D. & S.

ANEURUS, Curt.

157. *lævis*, F.

HEBRIDÆ.**HEBRUS, Curt.**

158. *pusillus*, Fall.
 159. *ruficeps*, Thoms.

GERRIDIDÆ.**MESOVELIINA.****MESOVELIA, M. & R.**

160. *furcata*, M. & R.

AEPOPHILINA.**AEPOPHILUS, Sign.**

161. *bonnairei*, Sign.

HYDROMETRINA.**HYDROMETRA, Ltr.**

162. *stagnorum*, L.

VELIINA.**MICROVELIA, Westw.**

163. *pygmæa*, Duf.

VELIA, Ltr.

164. *currens*, F.

GERRIDINA.**GERRIS, F.**

S.g. LIMNOPORUS, Stål.

165. *rufoscutellatus*, Ltr.

S.g. HYGROTRECHUS, Stål.

166. *paludum*, F.

167. *najas*, De G.

S.g. LIMNOTRECHUS, Stål.

168. *lateralis*, Schum.

var. costæ, H. S.

169. *thoracicus*, Schum.

170. *asper*, Fieb.

171. *gibbifer*, Schum.

172. *lacustris*, L.

173. *argentatus*, Schum.

174. *odontogaster*, Zett.

REDUVIDÆ.**EMESINA.****PLOIARIOLA, Reut.**

PLOIARIA, Scop. pars.

175. *vagabunda*, L.

176. *culiciformis*, De G.
erratica, Fall.

177. *baerensprungi*, Dohrn.

REDUVIINA.**PYGOLAMPIS, Germ.**

178. *bidentata*, Goeze.

bifurcata, Fieb.

REDUVIUS, F.

179. *personatus*, L.

CORANUS, Curt.

180. *subapterus*, De G.

NABIDINA.**PROSTEMMA, Lap.**

181. *guttula*, F.

NABIS, Ltr.

S.g. APTUS, Stål.

182. *apterus*, F.

brevipennis, Hahn.

183. *lativentris*, Boh.

apterus, D. & S.

184. *major*, Cost.

pilosulus, Fieb.

flavomarginatus, D. & S.

S.g. STALIA, Reut.

185. *boops*, Schiödte.

S.g. NABIS, Ltr.

186. *flavomarginatus*, Schotz.

187. *limbatus*, Dahlb.

188. *lineatus*, Dahlb.

poweri, Saund.

189. *ferus*, L.

190. *rugosus*, L.

dorsalis, Duf.

191. *ericetorum*, Scholtz.

192. *brevis*, Scholtz.

SALDIDÆ.**SALDA, F.**

S.g. CHILOXANTHUS, Reut.

193. *pilosa*, Fall.

S.g. SCIODOPTERUS, Am. S.

194. *littoralis*, L.

195. *oculata*, Müll.

muelleri, Gmel.

morio, D. & S. Saund.

196. *morio*, Zett.
S.g. SALDA, F.
197. *marginalis*, Fall.
198. *riparia*, Fall.
conspicua, D. & S.
199. *scotica*, Curt.
riparia, D. & S.
200. *orthochila*, Fieb.
201. *saltatoria*, L.
202. *C-album*, Fieb.
stellata Curt.
203. *opacula*, Zett.
204. *setulosa*, Put.
205. *pilosella*, Thoms.
206. *pallipes*, F.
207. *arenicola*, Scholtz.
208. *lateralis*, Fall.
pulchella, Curt.
S.g. CHARTOSCIRTA, Stål.
209. *cincta*, H. S.
210. *cocksii*, Curt.
elegantula, D. & S.
211. *elegantula*, Fall.
flori, Dohrn.

CIMICIDÆ.**CERATOCOMBINA.**

- CERATOCOMBUS**, Sign.
212. *coleopratus*, Zett.
muscorum, D. & S.

PACHYCOLEUS, Fieb.

212a. *rufescens*, Sahlb.

- CRYPTOSTEMMA**, H. S.
213. *alienum*, H. S.

CIMICINA.**CIMEX**, L.

214. *lectularius*, L.
215. *columbarius*, Jen.
216. *pipistrelli*, Jen.
217. *hirundinis*, Jen.

ANTHOCORINA.**LYCTOCORIS**, Hahn.

218. *campestris*, F.
domesticus, D. & S.

PIEZOSTETHUS, Fieb.

219. *galactinus*, Fieb.
220. *cursitans*, Fall,
rufipennis, D. & S.
221. *formicetorum*, Boh.

TEMNOSTETHUS, Fieb.

222. *pusillus*, H. S.

ELATOPHILUS, Reut.

223. *nigricornis*, Zett.

ANTHOCORIS, Fall.

224. *confusus*, Reut.
225. *nemoralis*, F.
226. *gallarum-ulmi*, De G.
227. *sarothamni*, D. & S.
228. *visci*, Dougl.
229. *nemorum*, L.
sylvestris, F., Saund.
229a. *limbatus*, Fieb.

TETRAPHLEPS, Fieb.

230. *vittata*, Fieb.

ACOMPLOCORIS, Reut.

231. *pygmæus*, Fall.
lucorum, D. & S.
232. *alpinus*, Reut.

TRIPHLEPS, Fieb.

233. *nigra*, Wolff.
234. *majuscula*, Reut.
minuta, D. & S.
235. *minuta*, L.
obscura, D. & S.

BRACHYSTELES, M. & R.

236. *parvicornis*, Cost.
pilicornis, M. & R.

CARDIASTETHUS, Fieb.

237. *fasciiventris*, Garb.
testaceus, Pen.

XYLOCORIDEA, Reut.

238. *brevipennis*, Reut.

XYLOCORIS, Duf.

239. *ater*, Duf.

MICROPHYSA, Westw.

240. *pselaphiformis*, Curt.
241. *elegantula*, Baer.

MYRMEDOBIA, Baer.

- PSEUDOPHLEPS*, D. & S.
242. *tenella*, Zett.
243. *distinguenda*, Reut.
244. *inconspicua*, D. & S.
245. *coleoptrata*, Fall.

CAPSIDÆ.**PITHANUS**, Fieb.

246. *maerkeli*, H. S.

MYRMECOPIS, Gorski.

247. gracilis, Sahlb.

ACETROPIS, Fieb.

248. gimmerthali, Flor.
seticulosa, Fieb.

MIRIS, F.

S.g. BRACHYTROPIS, Fieb.

249. calcaratus, Fall.

S.g. MIRIS, Reut.

250. laevigatus, L.

251. holsatus F.

MEGALOCERÆA, Fieb.

S.g. NOTOSTIRA, Fieb.

✓252. erratica, L.

S.g. MEGALOCERÆA, Fieb

253. linearis, Fuessl.

longicornis, Fall.*S.g.* TRIGONOTYLUS, Fieb.

✓254. ruficornis, Foure.

255. psammæcolor, Reut.

TERATOCORIS, Fieb.

256. antennatus, Boh.

257. viridis, D. & S.

258. saundersi, D. & S.

LEPTOPTERNA, Fieb.

✓259. ferrugata, Fall.

✓260. dolobrata, L.

MONALOCORIS, Dahlb.

261. filicis, Lin.

BRYOCORIS, Fall.

262. pteridis, Fall.

PANTILIUS, Curt

263. tunicatus, F.

LOPUS, Hahn.

264. gothicus, L.

var. superciliosus, L.

255. flavomarginatus, Don.

miles, D. & S.

266. sulcatus, Fieb.

MIRIDIUS, Fieb.

267. quadrivirgatus, Cost.

PHYTOCORIS, Fall.

268. populi, L.

var. distinctus, D. & S.

✓269. tiliæ, F.

270. longipennis, Flor.

dimidiatus, D. & S.

271. dimidiatus, Kb.

dubius, D. & S.

272. reuteri, Saund.

crassipes, D. & S.

273. pini, Kb.

274. varipes, Boh.

ulmi, D. & S.

✓275. ulmi, L.

divergens, D. & S.

CALOCORIS, Fieb.

✓276. ochromelas, Gmel.

striatellus, F.

✓277. sexguttatus, F.

278. fulvo-maculatus, De G.

279. roseo-maculatus, De G.

ferrugatus, D. & S.

280. alpestris, Mey.

281. bipunctatus, F.

S.g. ADELPHOCORIS, Reut.

282. lineolatus, Goeze.

chenopodii, Fall.

283. ticianensis, Mey.

284. seticornis, F.

S.g. HOMODEMUS, Fieb.

285. M-flavum, Goeze.

marginellus, F.*S.g.*, MEGACÆLUM, Fieb.

286. infusus, H. S.

S.g. PYCNOPTERNA, Fieb.

✓287. striatus, L.

STENOTUS, Jak.

ONCOGNATHUS, Fieb.

288. binotatus, F.

DICHROOSCYTUS, Fieb.

289. rufipennis, Fall.

PLESIOCORIS, Fieb.

290. rugicollis, Fall.

LYGUS, Hahn.

291. pabulinus, L.

292. contaminatus, Fall.

sulcifrons, D. & S.

293. viridis, Fall.

contaminatus, D. & S.

294. limbatus, Fall.

295. lucorum, Mey.

296. spinolæ, Mey.

✓297. pratensis, L.

var. campestris, Fall.

298. rubricatus, Fall.

299. atomarius, Mey.

300. cervinus, H. S.

301. viscidula, Put.

✓302. pastinacæ, Fall.

303. kalmii, L.

CAMPTOZYGUM, Reut.*ZYGIMUS*, Saund., nec. Fieb.304. *pinastri*, Fall.**PÆCILOSCYTUS**, Fieb.305. *unifasciatus*, F.306. *vulneratus*, Wolff. *S.g. CHARAGOCCHILUS* Fieb.307. *gyllenhalii*, Fall. *S.g. POLYMERUS*, Hahn.308. *nigritus*, Fall.**CAMTOBROCHIS**, Fieb.309. *lutescens*, Schill. *punctulatus*, D. & S.**LIOCORIS**, Fieb.310. *tripustulatus*, F.**CAPSUS**, F.311. *ruber*, L. *taniarius*, L.312. *scutellaris*, F.**RHOPALOTOMUS**, Fieb.313. *ater*, L.**BOTHYNOTUS**, Fieb.314. *pilosus*, Boh.**ALLODAPUS**, Fieb. *EROTICORIS*, D. & S.315. *rufescens*, Burm.**SYSTELLONOTUS**, Fieb.316. *triguttatus*, L.**PILOPHORUS**. *CAMARONOTUS*, Fieb.317. *cinnamopterus*, Kb.318. *clavatus*, L.319. *perplexus*, Scott.**ORTHOCEPHALUS**, Fieb.320. *saltator*, Hahn.321. *mutabilis*, Fall.**STRONGYLOCORIS**, Cost.322. *leucocephalus*, L.323. *luridus*, Fall.**HALTICUS**, Hahn.324. *luteicollis*, Pz.325. *apterus*, L.**MACROLOPHUS**, Fieb.326. *nubilus*, H. S.**DICYPHUS**, Fieb.327. *constrictus*, Boh.328. *epilobii*, Reut. *pallidus*, D. & S.329. *errans*, Wolff.330. *stachydis*, Reut.331. *pallidicornis*, Fieb.332. *globulifer*, Fall.333. *annulatus*, Wolff.**CAMPYLONEURA**, Fieb.334. *virgula*, H. S.**CYLLOCORIS**, Hahn.✓335. *histrionicus*, L.✓336. *flavonotatus*, Boh.**ÆTORHINUS**, Fieb.337. *angulatus*, F.**GLOBICEPS**, Ltr.338. *cruciatus*, Reut. *flavomaculatus*, D. & S., &c.339. *flavomaculatus*, F. *selectus*, Fieb.340. *dispar*, Boh.341. *ater*, D. & S. (sp. mihi dub.).**MECOMMA**, Fieb.342. *ambulans*, Fall.**CYRTORRHINUS**, Fieb.343. *caricis*, Fall.344. *pygmæus*, Zett. *insignis*, D. & S. (Tytthus).345. *flaveolus*, Reut.**ORTHOTYLUS**, Fieb.346. *fuscescens*, Kb.347. *bilineatus*, Fall.348. *flavinervis*, Kb.349. *marginalis*, Reut. *nassatus*, Fall.350. *tenellus*, Fall. *angustus*, D. & S.351. *nassatus*, F. *striicornis*, Kb.352. *viridinervis*, Kb.353. *prasinus*, Fall.354. *scotti*, Reut. *viridinervis*, D. & S.355. *ochrotrichus*, D. & S.356. *diaphanus*, Kb.357. *flavosparsus*, Sahlb. *prasinus*, D. & S.358. *chloropterus*, Kb. *concolor*, D. & S. *virescens*, D. & S.359. *concolor*, Kb.360. *adenocarpi*, Perr. *douglasi*, Saund.

361. *ruber*, Fieb.
var. moncreaffi, D. & S.
362. *ericetorum*, Fall.
- HYPSTYLVUS**, Fieb.
363. *bicolor*, D. & S.
chloropterus, D. & S.
- LOXOPS**, Fieb.
364. *coccinea*, Mey.
- HETEROTOMA**, Ltr.
- ✓ 365. *merioptera*, Scop.
- HETEROCORDYLUS**, Fieb.
366. *genistae*, Scop.
367. *tibialis*, Hahn.
- MALACOCORIS**, Fieb.
368. *chlorizans*, Fall.
- ONYCHUMENUS**, Reut.
369. *decolor*, Fall.
- ONCOTYLUS**, Fieb.
370. *viridiflavus*, Goeze.
setulosus, Mey.
- CONOSTETHUS**, Fieb.
371. *salinus*, Sahlb.
griseus, D. & S.
372. *brevis*, Reut.
373. *roseus*, Fall.
- HOPLOMACHUS**, Fieb.
374. *thunbergi*, Fall.
- MEGALOCOLEUS**, Reut.
- MACROCOLEUS**, Fieb.
375. *pilosus*; Schr.
tanaceti, Fall.
376. *molliculus*, Fall.
S.g. TINICEPHALUS.
377. *hortulanus*, Mey.
- AMBLYTYLVUS**, Fieb.
378. *delicatus*, Perr.
379. *brevicollis*, Fieb.
380. *affinis*, Fieb.
- MACROTYLVUS**, Fieb.
381. *solitarius*, Mey.
382. *paykulli*, Mey.
- HARPOCERA**, Curt.
383. *thoracica*, Fall.
- BYRSOPTERA**, Spin.
384. *rufifrons*, Fall.
caricis, D. & S.

- PHYLUS**, Hahn.
385. *palliceps*, Fieb.
- ✓ 386. *melanocephalus*, L.
387. *coryli*, L.
var. avellanea, Mey.
- PLESIODEMA**, Reut.
388. *pinetellum*, Zett.
- PSALLUS**, Fieb.
389. *ambiguus*, Fall.
obscurus, D. & S.
390. *betuleti*, Fall.
ambiguus, D. & S.
391. *obscurellus*, Fall.
pini, D. & S.
392. *variabilis*, Fall.
var. whitei, D. & S.
var. simillimus, D. & S.
393. *quercus*, Kb.
394. *lepidus*, Fieb.
var. minor = roseus, D. & S.
kirschbaumi, Saund.
395. *alnicola*, D. & S.
alni, D. & S.
296. *fallenii*, Reut.
salicis, Fieb.
397. *varians*, H. S.
distinctus, Fieb.
398. *diminutus*, Kb.
399. *albicinctus*, Kb.
400. *roseus*, F.
sanguineus, F.
querceti, F.
dilutus, D. & S.
401. *salicellus*, Mey.
402. *rotermundi*, Scholtz.
- ATRACTOTOMUS**, Fieb.
403. *mali*, Mey.
magnicornis, D. & S.
404. *magnicornis*, Fall.
- PLAGIOGNATHUS**, Fieb.
405. *albipennis*, Fall.
406. *chrysanthemi*, Wolff.
viridulus, Fall.
407. *arbustum*, F.
S.g. CHLAMYDATUS, Curt.
408. *pulicarius*, Fall.
409. *saltitans*, Fall.
410. *wilkinsoni*, D. & S.
411. *evanescens*, Boh.
S.g. NEOCORIS, D. & S.
412. *nigritulus*, Zett.
413. *bohemani*, fall.
S.g. STHENARUS, Fieb.
414. *roseri*, H. S.

ASCIODEMA, Reut.

415. obsoletum, D. & S.
416. fieberi, D. & S.

CRYPTOCERATA.

NEPIDÆ.

NEPA, L.

417. cinerea, L.

RANATRA, F.

418. linearis, L.

NAUCORIDÆ.

APHELOCHEIRUS, Westw.

419. aestivalis, F.

NAUCORIS, F.

420. cimicoides, L.

NOTONECTIDÆ.

NOTONECTA, L.

421. glauca, L.
var. maculata, F.

PLEA, Leach.

422. minutissima, F.

CORIXIDÆ.

CORIXA, Geoffr.

S.g. MACROCORIXA, Thoms.

423. geoffroyi, Leach.
424. affinis, Leach.
atomaria, Mey.
panzeri, Fieb.
S.g. CORIXA, B. White.
425. lugubris, Fieb.
426. selecta, Fieb.
427. hieroglyphica, Duf.
428. sahlbergi, Fieb.
429. linnaei, Fieb.

430. limitata, Fieb.
431. semistriata, Fieb.
432. venusta, D. & S.
433. striata, L.
434. distincta, Fieb.
douglasi, Fieb.

435. fallenii, Fieb.
436. mœsta, Fieb.
337. fossarum, Leach.
438. saundersi, Kirk.
439. scotti, Scott.
440. nigrolineata, Fieb.
fabricii, Fieb.
micans, D. & S.
dubia, D. & S.
borealis, D. & S.
perplexa, D. & S.
whitei, D. & S.
decora, D. & S.

- S.g.* CALLOCORIXA, B. White.
441. boldi, D. & S. (sp. mihi dub.).
442. præusta, Fieb.
var. wollastoni, D. & S.
443. sodalis, D. & S.
444. caledonica, Kirk.
cognata, D. & S. *nec* Fieb.
445. concinna, Fieb.
S.g. GLÆNOCORIXA, Thoms.
446. carinata, Sahlb.
cognata, Fieb.
sharpi, D. & S.
447. germari, Fieb.
intricata, D. & S.
448. cavifrons, Thoms.
S.g. CYMATIA, Flor.
449. bonsdorffi, Sahlb.
450. coleoptrata, F.

MICRONECTA, Kirk.

- SIGARA, Leach.
451. minutissima, L.
var. poweri, D. & S.
452. meridionalis, Costa.
scholtzi, Fieb.

HOMOPTERA.

AUCHENORHYNCHA.

CICADIDÆ.

CICADETTA, Kolen.

✓ 453. montana, Scop.

CERCOPIDÆ.

CERCOPINA.

TRIECPHORA, Am. S.

✓ 454. vulnerata, Illig.

APHROPHORA, Germ.

✓ 455. alni, Fall.

✓ 456. salicis, De G.

PHILÄNUS, Stål.

✓ 457. spumarius, L.

forma ustulatus, Fall.

forma leucophthalmus, L.

forma biguttatus, Fab.

forma gibbus, Fab.

forma lateralis, L.

forma apicalis, Germ.

forma leucocephalus, Germ.

forma praeustus, Fab.

forma marginellus, Fab.

forma dimidiatus, H. S.

forma fasciatus, Fab.

forma vittatus, Fab.

forma lineatus, Fab.

forma pallidus, Zett.

forma populi, Fab.

458. campestris, Fall.

459. exclamationis, Thunb.

460. lineatus, L.

MEMBRACIDÆ.

CENTROTINA.

CENTROTUS, Fab.

✓ 461. cornutus, L.

GARGARA, Am. S.

462. genistæ, Fab.

JASSIDÆ.

ULOPINA.

ULOPA, Fall.

463. reticulata, Fab.

464. trivia, Germ.

MEGOPHTHALMINA.

MEGOPHTHALMUS, Curt.

465. scanicus, Fall.

LEDRINA.

LEDRA, Fab.

✓ 466. aurita, L.

TETTIGONIINA.

TETTIGONIA, Geoffr.

✓ 467. viridis, L.

forma arundinis, Germ.

EUACANTHUS, Lep. et Serv.

468. interruptus, L.

469. acuminatus, Fab.

BYTHOSCOPINA.

BATRACOMORPHUS, Lewis.

MACROPSIS, Auctt.

470. microcephala, H. S.

✓ 471. Ianio, L.

ONCOPSIS, Burm.

BYTHOSCORUS, Fieb.

472. alni, Schr.

473. rufusculus, Fieb.

✓ 474. flavicollis, L.

MACROPSIS, Lewis.

Pediopsis, Burm.

475. tiliæ, Germ.

476. nanus, H. S.

477. scutellata, Boh.

478. rubi, Boh.

479. tibialis, Scott.

480. nassata, Germ.

481. fuscinervis, Boh.

482. impura, Boh.

483. distincta, Scott.

484. glandacea, Fieb.

ulmi, Scott.

485. cerea, Germ.

486. virescens, Fab.

forma graminea, Fab.

IDIOCERUS, Lewis.

487. scurra, Germ.

488. adustus, H. S.

489. varius, Germ.
 490. herrichi, Kbm.
 491. cognatus, Fieb. •
 distinguendus, Kbm.
 492. tremulæ, Estl.
 493. cupreus, Kbm.
 494. viduatus, Edw.
 495. elegans, Flor.
 496. laminatus, Flor.
 497. lituratus, Fall.
 498. pœcillus, H. S.
 venustus, Scott.
 499. tibialis, Fieb.
 heydeni, Kbm.
 500. vitreus, Fab.
 H-album, Fieb.
 501. aurulentus, Kbm.
 502. fulgidus, Fab.
 503. populi, L.
 504. confusus, Flor.
 505. albicans, Kbm.

AGALLIA, Curt.

506. sinuata, Muls. R.
 507. puncticeps, Germ.
 508. venosa, Fall.
 509. brachyptera, Boh.

JASSINA.**ACOCEPHALARIA.****ACOCEPHALUS, Germ.**

510. nervosus, Schr.
 rusticus, Fab.
 511. æstuarinus, Edw.
 512. bifasciatus, L.
 513. tricinctus, Curt.
 514. albifrons, L.
 interruptus, Scott.
 polystolus, Scott.
 515. limicola, Edw.
 516. fuscofasciatus, Goeze.
 brunneobifasciatus, Geoffr.
 517. histrionicus, Fab.
 518. flavostrigatus, Don.

STRONGYLOCEPHALUS, Flor.

519. agrestis, Fall.
 520. megerli, Scott.

EUPELICARIA,**EUPELIX, Germ.**

521. cuspidata, Fab.
 522. depressa, Fab.
 spathulata, Germ.
 523. producta, Germ.

JASSARIA.**PLATYMETOPIUS, Burm.**

524. undatus, De G.

GRAPHOCRÆRUS, Thoms.

525. ventralis, Fall.

DORATURA, J. Sahl.

526. stylata, Boh.
 527. impudica, Horv.

PARAMESUS, Fieb.

528. nervosus, Fall.
 529. phragmitis, Boh.

RHYTISTYLUS, Fieb.

- ATHYSANUS, part. Kbm.,
 D. & S.

- GLYPTOCEPHALUS, Edw.
 EDWARDSIATES, Kirk.

530. proceps, Kbm.
 canescens, D. & S.

STICTOCORIS, Thoms.

531. preyssleri, H. S.
 532. flaveola, Boh.

ATHYSANUS, Burm.

533. russeolus, Fall.
 534. brevipennis, Kbm.
 535. sordidus, Zett.
 536. sahlbergi, Reut.
 537. grisescens, Zett.
 538. variegatus, Kbm.
 irroratus, Scott.
 539. schenki, Kbm.
 plebeja, J. Sahl.
 540. plebejus, Fall.
 communis, J. Sahl., Edw.
 541. lineolatus, Brullé.
 obscurellus, Kbm.
 542. obsoletus, Kbm.
 542. sejungendus, Kbm.
 544. melanopsis, Hdy.

DELTOCEPHALUS, Burm.

545. formosus, Boh. *forma steini*,
 Fieb.
 546. ocellaris, Fall.
 547. coronifer, Marsh.
 548. repletus, Fieb.
 549. oculatus, J. Sahl.
 550. picturatus, Fieb.
 551. flori, Fieb.
 552. linnei, Fieb.
 I-album, Scott.
 553. distinguendus, Flor.

554. falleni, Fieb.
 555. paleaceus, J. Sahl.
 556. socialis, Flor.
 557. sabulicola, Curt.
 558. striatus, L.
 559. normani, Scott.
 560. punctum, Flor.
 561. abdominalis, Fab.
 562. striifrons, Kbm.
longieaput, Scott.
mulsanti, Fieb.
 563. collinus, Boh.
 564. minki, Fieb.
 565. pascuellus, Fall.
 566. cephalotes, H. S.
citrinella, Kbm.
assimilis, Fieb.
 567. argus, Marsh.
 568. costalis, Fall.
 569. coroniceps, Kbm.
 570. maculiceps, Boh.
 571. panzeri, Flor.
 572. pulicaris, Fall.
- JASSUS**, Fab.
ALLYGUS, Fieb.
 573. commutatus, Fieb.
 574. modestus, Fieb.
 575. mixtus, Fab.
- THAMNOTETTIX**, Zett.
 576. prasinus, Fall.
 577. dilutior, Kbm.
 578. subfusculus, Fall.
 579. striatulus, Fall.
 580. striatulellus, Edw.
 581. cruentatus, Panz.
 582. torneellus, Zett.
 583. splendidulus, Fab.
 584. croceus, H. S.
 585. attenuatus, Germ.
- LIMOTETTIX**, J. Sahl.
 586. stactogala, Am.
 587. striola, Fall.
 588. antennata, Boh.
 589. intermedia, Boh.
 590. 5-notata, Boh.
 591. 4-notata, Fab.
 592. aurantipes, Edw.
 593. nigricornis, J. Sahl.
 594. sulphurella, Zett.
- CICADULA**, Fieb.
 595. metria, Flor.
 596. opacipennis, Leth.
 597. dahlbomi, Zett.
 598. 7-notata, Fall.
599. variata, Fall.
 600. punctifrons, Fall.
 601. warioni, Leth.
fasciifrons, Edw. *nec* Stål.
 602. frontalis, Scott.
 603. sexnotata, Fall.
 604. fieberi, Edw.
frontalis, Fieb.
 605. livida, Edw.
 606. cyanæ, Boh.
- BALCLUTHA**, Kirk.
GNATHODUS, Fieb.
 607. punctatus, Thunb.
- TYPHLOCYBINA.**
- ALEBRA**, Fieb.
 608. albostriella, Fall.
forma discicollis, H. S.
forma wahlbergi, Boh.
forma fulveola, H.S.
- ERYTHRIA**, Fieb.
 609. aureola, Fall.
- DIKRANEURA**, Hardy.
 610. flavipennis, Zett.
 611. citrinella, Zett.
 612. similis, Edw.
 613. mollicula, Boh.
 614. pygmæa, Dougl.
 615. variata, Hdy.
- EMPOASCA**, Walsh.
KYBOS, Fieb.
 616. smaragdula, Fall.
 617. populi, Edw.
 618. butleri, Edw.
- CHLORITA**, Fieb.
 619. apicalis, Flor.
 620. flavescens, Fab.
 621. solani-tuberosi, Koll.
 622. viridula, Fall.
- EUPTERYX**, Curt.
 623. vittatus, L.
 624. notatus, Curt.
 625. urticæ, Fab.
forma leucochrema, Oshn.
 626. stachydearum, Hdy.
 627. collinus, Flor.
 628. melissæ, Curt.
 629. auratus, L.
 630. atropunctatus, Goeze.
pictus, Auctt.
 631. signatipennis, Boh.

632. *tenellus*, Fall.
 633. *abrotani*, Dougl.
 634. *filicum*, Newm.
 635. *germari*, Zett.
 636. *pulchellus*, Fall.
 637. *concinna*, Germ.

TYPHLOCYBA, Germ.

638. *jucunda*, H. S.
 639. *sexpunctata*, Fall.
 10-punctata, Fall.
 640. *debilis*, Dougl.
 641. *ulmi*, L.
 642. *tenerima*, H. S.
 643. *aurovittata*, Dougl.
 644. *douglasii*, Edw.
 645. *gratiosa*, Boh.
 646. *crataegi*, Dougl.
 647. *lethierryi*, Edw.
 hippocastani, Edw.
 648. *rosæ*, L.
 649. *salicicola*, Edw.
 650. *candidula*, Kbm.
 651. *avellanæ*, Edw.
 652. *pruni*, Edw.
 653. *opaca*, Edw.
 654. *quercus*, Fab.
 655. *nitidula*, Fab.
 forma Norgueti, Leth.
 656. *geometrica*, Schr.
 657. *cruenta*, H. S.

ZYGINA, Fieb.

658. *alneti*, Dahl.
 659. *coryli*, Toll.
 660. *flammigera*, Geoffr.
 blandula, Auctt.
 661. *tiliae*, Fall.
 662. *hyperici*, H. S.
 663. *parvula*, Boh.
 664. *scutellaris*, H. S.

FULGORIDÆ.

CIXIINA.

OLIARUS, Stål.

665. *leporinus*, L.
 pallidus, H. S.
 666. *panzeri*, P. Löw.
 leporinus, Fieb., Kbm.

CIXIUS, Latr.

667. *pilosus*, Ol.
 forma albicinctus, Germ.
 ,, *infumatus*, Fieb.
 668. *cunicularius*, L.
 forma fuscus, Fieb.

669. *nervosus*, L.
 forma fasciatus, Fieb.
 670. *stigmaticus*, Germ.
 musivus, March.
 671. *brachycranus*, Scott.
 intermedius, Scott.
 672. *similis*, Kbm.
 673. *scotti*, Edw.
 simplex, Scott.
 674. *remotus*, Edw.
 similaris, Scott.

ISSINA.

ISSUS, Fab.

675. *coleoptratus*, Geoffr.

TETTIGOMETRINA.

TETTIGOMETRA, Latr.

676. *impressopunctata*, Duf.

DELPHACINA.

ASIRACA, Latr.

677. *clavicornis*, Fab.

ARÆOPUS, Spin.

- DELPHAX*, Fab.
 678. *pulchellus*, Curt.

MEGAMELUS, Fieb.

679. *notula*, Germ.
 680. *quadrimaculatus*, Sign.
 681. *fieberi*, Scott.
 682. *thoulessi*, Edw.

STENOCRANUS, Fieb.

683. *minutus*, Fab.
 lineola, Germ.
 farinosa, Buckt. (*Chloriona*).
 684. *fuscovittatus*, Stål.
 685. *longipennis*, Curt.

KELISIA, Fieb.

686. *vittipennis*, J. Sahl.
 687. *guttula*, Germ.
 688. *perspicillata*, Boh.
 689. *pallidula*, Boh.
 690. *punctulum*, Kbm.
 691. *scotti* (Fieb) Scott.

DELPHACINUS, Fieb.

692. *mesomelas*, Boh.

CHLORIONA, Fieb.

693. *glancescens*, Fieb.
 694. *prasina*, Fieb.
 695. *smaragdula*, Stål.

EUIDELLA, Put.696. *speciosa*, Boh.**EURYSA, Fieb.**697. *lineata*, Perr.**CONOMELUS, Fieb.**698. *limbatus*, Fal.699. *lepidus*, Boh.**DELPHAX, Fab.****LIBURNIA, Stål.**700. *collina*, Boh.701. *sordidula*, Stål.702. *elegantula*, Boh.*æmulatrix*, Scott.703. *distincta* Flor.704. *boldi*, Scott.705. *signoreti*, Scott.706. *adela*, Flor.707. *reyi*, Fieb.708. *melanopachys*, Scott.709. *similis*, Kbm.710. *capnodes*, Scott.711. *scutellata*, Scott.712. *pullula*, Boh.713. *lugubrina*, Boh.714. *leptosoma*, Flor.715. *niveimarginata*, Scott.716. *dalei*, Scott.717. *pellucida*, Fab.718. *difficilis*, Edw.719. *discreta*, Edw.720. *discolor*, Boh.721. *obscurella*, Boh.722. *forcipata*, Boh.723. *denticauda*, Boh.724. *exigua*, Boh.725. *venosa*, Germ.726. *insignis*, Scott.727. *aubei*, Perris.*cognata*, Fieb.728. *striatella*, Fall.729. *fairmairei*, Perris.*neglecta*, Flor.*extrusa*, Scott.730. *brevipennis*, Boh.731. *straminea*, Stål.*V-flava*, Scott.732. *flaveola*, Flor.733. *paludosa*, Flor.734. *douglasi*, Scott.735. *uncinata*, Fieb.**DICRANOTROPIS, Fieb.**736. *hamata*, Boh.**STIROMA, Fieb.**737. *albomarginata*, Curt.738. *mæsta*, Boh.*borealis*, J. Sahl.739. *pteridis*, Boh.740. *bicarinata*, H. S.*nasalis*, Boh.741. *affinis*, Fieb.742. *nigrolineata*, Scott.(gen. *Eurybregma*, Scott).**STERNORHYNCHA.****PHYTOPHTHIRE.****PSYLLIDÆ.****LIVIARIA.****LIVIA, Latr.**743. *juncorum*, Latr.744. *crefeldensis*, Mink.**APHALARARIA.****RHINOCOLA, Först.**745. *aceris*, L.746. *ericæ*, Curt.**APHALARA, Först.**747. *pilosa*, Oshn.748. *artemisiae*, Först.749. *nebulosa*, Zett.750. *nervosa*, Först.751. *calthæ*, L.*polygoni*, Scott.752. *exilis*, Web. & Mohr.753. *pieta*, Zett.**PSYLLOPSIS, F. Löw.**754. *fraxinicola*, Först.755. *fraxini*, L.**PSYLLARIA.****PSYLLA, F. Löw.**756. *concinna*, Edw.757. *pyricola*, Först.758. *simulans*, Först.*pyri*, Scott.759. *cratægi*, Schr.760. *costalis*, Flor.761. *peregrina*, Först.*cratægicola*, Scott.762. *ulmi*, Först.763. *mali*, Schmdbg.*forma viridissima*, Scott.764. *viburni*, F. Löw.765. *visci*, Curt.

766. *alni*, L.
 767. *försteri*, Flor.
 768. *betulæ*, L.
 769. *buxi*, L.
 770. *hippophaës*, Först.
 771. *lowii*, Scott.
 772. *hartigii*, Flor.
 sylvicola, Scott.
 773. *pruni*, Scop.
 774. *brunneipennis*, Edw.
 775. *venata*, Edw.
 776. *melanoneura*, Först.
 777. *nigrita*, Zett.
 pineti, Flor.
 778. *rhamnicola*, Scott.
 779. *salicicola*, Först.
 780. *ambigua*, Först.
 stenolabis, F. Löw.
 781. *spartii*, Guér.
 spartiophila, Först.

LIVILLA, Curt.

782. *ulicis*, Curt.

ARYTÆNA, Scott.


783. *genistæ*, Latr.
 ulicis, Scott.


TRIOZARIA.**TRICHOCHERMES**, Kirk.

784. *Walkeri*, Först.

TRIOZA, Först.

785. *albiventris*, Först.
 786. *rhamni*, Schr.
 787. *erithmi*, F. Löw.
 788. *urticæ*, L.
 789. *centranthi*, Vall.
 790. *remota*, Först.
 791. *galii*, Först.
 792. *velutina*, Först.
 793. *silacea*, Meyer-Dur.
 munda Flor nec Först.
 794. *viridula*, Zett.
 795. *salicivora*, Reut.
 796. *saundersi*, Meyer-Dur.
 acutipennis, Flor., nec Zett.
 797. *munda*, Först.
 798. *abdominalis*, Flor.
 799. *chenopodii*, Reut.
 dalei, Scott.





Copies of this Catalogue may be had
from the Publishers, Post. Free,
each ; or Printed on One Side of
Paper only, for Label Lists, Post Free,
each.